**Receiving Report** Date: Supplier: Dart P/O: Packing Slip: Yes Release Note Attached: Yes Invoice: Yes Waybill Attached: No T Yes Receipt: Cash Shipment Complete: No QC6 Inspection N/A Work Order N/A Discrepancies Part Quantity Quantity Quantity Quantity Description Comments Number Ordered Received Returned Short Initials of receiver (if shipment OK) Level 12 Production/Admin: Date Location Received/Costing Initial

H:\FORMS\Purchasing\auproved purch\RFCREDORT Pay D

RECEIVED OCT 1 2 2011

Remit To A.M. CASTLE & CO. (CANADA) INC. - B9204 P.O. BOX 9100 TORONTO, ONTARIO M4Y 3A5 CANADA

### INVOICE



A. M. Castle & Co Invoice No. 20064829 Invoice Date 10/03/2011 Account No. 50676 DART AEROSPACE LTD

Bill To Ship To DART AEROSPACE LTD DART AEROSPACE LTD 1270 ABERDEEN 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 HAWKESBURY ON K6A 1K7 CANADA CANADA TERMS AND CONDITIONS OF SALE CUSTOMER NOTICE DISCLAIMER OF WARRANTIES AND LIMITATIONS OF LIABILITY

THERE ARE NO WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, INCLUDING ANY REGARDING MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, EXCEPT AS EXPLICITLY STATED ON THE

ACKNOWLEGGEMENT PROVIDED BY A.M. CASTLE & CO., OR ITS AFFILIATES (CASTLE" HEREATTER). LABILITY FOR THE BREACH OF ANY WARRANTY IS LIMITED TO REPLACEMENT OF DEFECTIVE OR NONCONFORMING GOODS OR TO THE REFUND OF THE PURCHASE PRICE UPON RETURN OF THE GOODS TO CASTLE, AT THE OPTION OF CASTLE, CASTLE IS NOT LIBELE FOR ANY OTHER DIRECT, INCIDENTAL, OR CONSECUENTIAL DAMAGES, INCLUDING LOST PROFITS, EVEN IF CASTLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. CUSTOMER ASSUMES ALL RISKS AND LIABILITY FOR LOSS, DAMAGE OR INJURIES TO PERSONS OR PROPERTY OF CUSTOMER OR OTHERS ARISING OUT OF THE USE OR POSSESSION OF THE GOODS. Acceptance of your order by Castle is conditional upon your agreement to the terms and conditions. If you conserve all goods must be promptly returned to Castle, unused and unopened. Your acceptance of delivery of any part of the goods covered by this document will be deemed an agreement to the terms and conditions of sale which are consistent on additional terms or conditions which may be contained in your purchase order, confirmation, or other document, are objected to by Castle.

Invoice No.	20064829	Down and Translation of the second		
		Payment Terms 1% 1%, NET 30	Date Shipped	10/03/2011
Invoice Date	10/03/2011	Due Date 11/82/2011	Shipped Via	CASTLE NETWORK
Discount on Mater	ial & Labor	40.68 Discount if paid by 10/13/2011	- <u> </u>	
		10:00 Blocount II paid by 10/13/2011	✓ Salesperson	Desbiens, Marc
		1200		

Shipment Description	Shipment Information	Shipped Quantity / Amount CAD Unit Price
Purchase Order #: Order # - Line #: Ordered:	15014 1732524-1 680 LBS 4969.BO	710.0000 LBS \$5.73 / LBS
Item Description:  Heat Number(s):  Specification(s):	0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKL E.132.0000-156.0000 424554 ASTM A276 SHIP OCTOBER 3RD ONLY	

Line Total:

138353438 RT HST

13% Tax

\$4,068.30

Taxes:

Invoice Total:

\$528.88

\$4,597.18

Remit Currency: CAD

CUSTOMER IS RESPONSIBLE FOR ALL SHIPPING DOCUMENTS AND COMPLIANCE WITH ALL UNITED STATES LAWS INCLUDING BUT NOT LIMITED TO U.S. EXPORT LAWS AND REGULATIONS.

ENTERED OCT 17 2011

PAID OCT 19 2011 009497

All amounts are calculated in domestic currency.

# Purchase Order Receipt Listing

Thursday, October 06, 2011 8:16:11 AM

All Vendors PO ID PO15014 Receipt Dates from 10/6/2011 to 10/6/2011 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Pro Nbr/ Insp Req	iject ID	Project ID Reference/ Description/ Cert Sta	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
endor <b>ID\Ve</b> nde PO15014 CAD	VendorID\Vendor Name PO15014 1 CAD No	VC-M	VC-MET001 Metaux Castle M304B0.250x0.500 f 304 BAR.250 x.500 f 119158-9	Castle f	10/3/2011 10/6/2011 400.0000 DESJ02	10/6/2011 DESJ02	400.0000	\$2.44	0.0000	0	\$976.00
	2 No		M304B0.250x0.500 304 BAR .250 x .500 119158 9		10/10/2011	10/6/2011 DESJ02	400,0000	\$2.44 \$976.00	0.0000	0 0	\$976.00
	3 No	_	M304B0.250x0.500 f 304 BAR .250 x .500 f 119158—9	) J	10/3/2011	10/6/2011 DESJ02	840.3300	\$2.44 \$2,050.41	0.0000		\$2,050.41
							. *	Total C	Total Received Quantity: Total Qty to Inspect (PO U/M): Total Reject Quantity: Total Receipt Value: Total Balance Due Quantity:	antity: U/M): antity: Value: antity:	1,640.3300 0.0000 0.0000 \$4,002.41

22

5.



# BORDEREAU DE MARCHANDISES

Page 1 of 2

No de Formulaire d'Emballage / Shinment No-1004756

Date d'expéditionF.O.B.Modalités de transport / Date ShippedTransporteur / CarrierNo du Bon de connaissement / BOL No/ Date Shipped/ BOL No03-OCT-2011ORIGINPrepaidMANITOULIN1004756-2	H9R 3S2	)			CA
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	POINTE CLAIRE, QUEB	<u>ာ</u>			CA
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	יייייייייייייייייייייייייייייייייייייי	آ 			CA
F.O.B. Modalités de transport / Transporteur / Carrier   Freight Terms   MANITOULIN   Prepaid   MANITOULIN	י סווין די סבילון				CA
F.O.B. Modalités de transport / Transporteur / Carrier   Freight Terms   MANITOULIN   Prepaid   MANITOULIN		آر ا			<u> </u>
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	POINTE CLAIRE, OUEB				
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN		( L			
PEBEC  F.O.B. Modalités de transport / Transporteur / Carrier  Freight Terms  ORIGIN Prepaid MANITOULIN		_			NOA IN
P.O.B. Modalités de transport / Transporteur / Carrier Freight Terms MANITOULIN				JK/ CAN	K6∆ 1K7
PEBEC CA  F.O.B. Modalités de transport / Transporteur / Carrier  Prepaid MANITOULIN	S35-SELKIKK AVENUE	<b>∀</b>		1K7 CAN	1/1 V 3/1
F.O.B. Modalités de transport / Transporteur / Carrier CARIGIN Prepaid MANITOULIN	835-SELKIRK AVENUE	ΔC		177 771	
F.O.B. Modalités de transport / Transporteur / Carrier CARIGIN Prepaid MANITOULIN	CSC-ST KIRK AVENIE	<u> </u>			
UEBEC CA UEBEC CA  F.O.B. Modalités de transport / Transporteur / Carrier  Freight Terms		-			
UEBEC CA K6A 1K7 UEBEC CA Modalités de transport / Transporteur / Carrier Freight Terms MANITOULIN	i	•			
UEBEC UEBEC  OBIGIN  ORIGIN  CA  K6A 1K  CA  CA  CA  MANITOULIN					
VUE       CA       K6A 1K         VEBEC       Modalités de transport / Freight Terms       Transporteur / Carrier         ORIGIN       Prepaid       MANITOULIN				HAWKESDURY ON KOA	
UEBEC  CA  F.O.B. Modalités de transport / Transporteur / Carrier  CA  Freight Terms  ORIGIN  Prepaid  MANITOULIN			7 TO 1 TO		
VUE       CA       K6A 1K         VEBEC       Modalités de transport / Freight Terms       Transporteur / Carrier         ORIGIN       Prepaid       MANITOULIN					
VUE       CA       K6A 1K         VEBEC       Modalités de transport / Freight Terms       Transporteur / Carrier         ORIGIN       Prepaid       MANITOULIN				HAWKESDURY ON KOA	
VUE       CA       K6A 1K         VEBEC       Modalités de transport / Freight Terms       Transporteur / Carrier         ORIGIN       Prepaid       MANITOULIN				LAVVINESBUT ON ANA	
UEBEC CA K6A 1K. CAB. Modalités de transport / Transporteur / Carrier CA Freight Terms MANITOULIN		!			
UEBEC CA K6A 1K. CAB. Modalités de transport / Transporteur / Carrier CA Freight Terms MANITOULIN		-			
UEBEC CA K6A 1K7 UEBEC CA CA  F.O.B. Modalités de transport / Transporteur / Carrier  Freight Terms MANITOULIN					
UEBEC CA K6A 1K7 UEBEC CA Modalités de transport / Transporteur / Carrier Freight Terms MANITOULIN	וויייייייייייייייייייייייייייייייייייי	•			
UEBEC CA K6A 1K7 UEBEC CA CA  F.O.B. Modalités de transport / Transporteur / Carrier  Freight Terms CA	しこうしく ション・コン・コン・コン・コー				
F.O.B. Modalités de transport / Transporteur / Carrier  CA  Freight Terms  ORIGIN  Prepaid  MANITOULIN	T	<b>∇</b> -		1/1 0/1	
P.O.B. Modalités de transport / Transporteur / Carrier   Prepaid   Prepaid   MANITOULIN		5		NA: ) / XL	707
P.O.B. Modalités de transport / Transporteur / Carrier Freight Terms MANITOULIN					A PA
PEBEC  F.O.B. Modalités de transport / Transporteur / Carrier  Freight Terms  ORIGIN Prepaid MANITOULIN				, ;; () ;; :.	
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms MANITOULIN		(	_		
F.O.B. Modalités de transport / Transporteur / Carrier  Freight Terms ORIGIN Prepaid MANITOULIN					
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN			-		
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN		,			4
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN					
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	מטי בים				;
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN		_			
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	1))				
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	*		_		
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN					
F.O.B. Modalités de transport / Transporteur / Carrier Freight Terms ORIGIN Prepaid MANITOULIN	г				
Prepaid MANITOULIN		r	Modelitée de transport		
ORIGIN Prepaid MANITOULIN			こうこうこうこう ひこうりこうしょ		The distance of age in the con-
ORIGIN Prepaid MANITOULIN					
ORIGIN Prepaid MANITOULIN	מבוביר שנת		T. 2. 2. 1. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2. 2.		
ORIGIN Prepaid MANITOULIN	Sold: OSS				
OHIGIN Prepaid MANITOULIN					
MANITOULIN	_	2 2 2			
					- TOO 120 O
					7-00/4/00
					† ) ) · · · · ·

Destination finale / Final Destination Branch - MON

Détails d'expédition / Shipment Details

No de commande / No de ligno	A / No do li	H	A / liberra Nic.	•			
Order No	Line No		N dance/nem No	Desc	Description		
1732524	<del>-</del>	4969.BO		0.2500	0.2500.0.5000.FLAT.304.STAINLESS.HR.ANN.PICKLE.132.0000-156 .0000	TAINLESS.HR.ANN.F	PICKLE.132.0000-156
				SPE	SPECIFICATIONS: ASTM A276 SHIP OCTOBER 3RD ON! Y	A276 /	
N° de bon de commande / Purchase Order No	ande /	N <sup>bre</sup> de pièces / Part Number		Oté c	Oté commandée / Ordered Oty	1 Oty Oté Facturée	rée /
15014				680 (	680 00 1 BS	740 I BC	Ly A
Détails / Details	ASTM A276	9/			7707	V 10 LBS	
\	SHIP OCT	SHIP OCTOBER 3RD ONLY					11111
N° de	Usine / Mill	No de coulée/	Code méc	Pièce	Largeur (Pouce)/	Longielir (Police)/ Orá expédiée/	Orá ovnádlácí
livraison /		Heat Number	/ Mech Id	<i> </i>   <i> </i>	Width (IN)	Length (IN)	Shipped Oty(1 BC)
Delivery No:				PCS		(111)	omphea day(rbs)
96507319		424554		133		48	710
Ces marchandises/technologies sont suje	s sont sujettes aux règler	Ces marchandises hechnologies sont sujettes aux règlements de l'Export Administration e	et du département d'état d	ne Etate-1 Inie C	el di denariement d'éter des Étates Inie. Si olles out étéfonné au mét.	2:-	/ 10

exportées, elles doivent se conformer à ces règlements. Toute modification du contrat de transport contraire aux lois des États-Unis est interdite.

These commodifies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

Nous centifions par la présente que le matériel couvert par cette certification est conforme aux spécifications susmentionnées et aux exigences applicables pour le matériel, y compris toute spécification faisant partie de la description. Les rapports dessa sont archivés pour fins de consultation. Toute requête concernant du matériel défectueux sera rejetée à moins qu'élie ne soit faite par écrif à A. M. Castle & Co. dans les 60 jours suivant la livraison. Le matériel coupé sur mesure ou coupé par le les matériel course de la concernant du matériel de description and has been found to meet the applicable requirements for the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material covered by the customer cannot be returned to the soriest size, or material out by the customer cannot be returned

Date Printed: 03-OCT-2011 02:38:57 PM

Reviewed by Authorized Castle Metals Representative:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### **PURCHASE ORDER**

### Purchase Order ID PO15014

Purchase Order Date 9/26/2011 PO Print Date 9/26/2011

Page Number 1 of 1

Order From:

VC-MET001

METAUX CASTLE

A.M. CASTLE & CO. (CANADA) INC. - BOX B9204 PO BOX 9100

TORONTO, ON M4Y 3A5

CA

Contact Name

Vendor Phone

514 694 9575

Vendor Fax

514 695 3281

Vendor Account Nbr

Buyer

Linda Lacelle

Requisition Nbr

Tax Resale Nbr

10127-2607 Net 30

**Terms** Currency

CAD

FOB

Destination-Collect

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

**CANADA** 

ine Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable Un	Req Qty/ it of Measure	Ship Method	Unit Price	Extended Price
M3	304B0.250x0.500	304 BAR .250 x .500	10/3/2011 Yes	400.00 f	Yours ppd	\$2.4400	\$976.00
	.*	Special Inst:	MAT: AISI304/316 304//316 SS PLATE OR ASTM A240	SS BAR OR AIS AS PER SATM	SI I A276		•
M3	04B0.250x0.500	304 BAR .250 x .500	10/10/2011 Yes	400.00 f	Yours ppd	\$2.4400	\$976.00
		Special Inst:	MAT: AISI304/316 304//316 SS PLATE OR ASTM A240	SS BAR OR AIS AS PER SATM	SI A276		
M3	04B0.250x0.500	304 BAR .250 x .500	10/3/2011 Yes	800.00 f	Yours ppd	\$2.4400	\$1,952.00
•		Special Inst:	MAT: AISI304/316 S			(ulp)	

304//316 SS PLATE AS PER SATM A276

OR ASTM A240

PO Total:

\$3,904.00

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 9/26/2011

M 30430.250X 0-520 M119159

# Acciaierie Valbruna s.p.A.





### **CERTIFICATO DI COLLAUDO** ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE **CERTIFICAT DE RECEPTION** EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4

VALBRUNA CANADA LTD 8724 HOLGATE CRESCENT L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Stato di fomitura: Descaled Annealed Hotrolled Lieferzustand/Delivery state/Elat de livraison

Awiso di Spedizione: D-VI11010941 Lieleranzelge/Packing list/B.L.

Ordine nr: 101003060 Stock - Canada

Tipo di Elaborazione: E+AOD

Certificato nr: MEST035048/2011/ Printing/Test/Essa

Conferma ordine nr: El11000505 Warks/Our Order/Ref nr.

Marchio di Fabbrica: Zeichen des Liefernwerkes Trade mark Sigle de l'usine produtrice

Punzone del Collaudatore: Stempel des Werkstachverständigen Inspector's stamp/Poincon de l'assayeur



Specifiche:

Anforderungen / Requirements / Exigences VAL CANADA 2 304/304L A ASME SA182 2010 S30400/03 (0) ASME SA479 2010 S30400/03 (3) ASTM A262 2010 PRACTICE E ASTM A320 2010 B8 NACE MR0175\* 2003 S30400/03 A (5)

(0) SEC.II PT.A 2010 EDITION (1) SEC.II PT.A 2010 EDITION (3) SEC.II PT.A 2010 EDITION (5) \* ISO 15156-3

AMS 5639 H S30400 ASME SA193 2010 B8 (1) ASTM A182 2010A \$30400/03 (4) ASTM A276 2010 S30400/03 ASTM A479 2010A \$30400/03 QQ-S-763 F 304/304L

AMS 5647 H S30403 ASME SA320 2010 B8 (2) ASTM A193 2010A B8 ASTM A314 2008 S30400/03 MIL-S-862 B/1 304/304L

(0) For products machined directly from bar refer to ASME SA479. (2) SEC.II PT.A 2010 EDITION

(4) For products machined directly from bar refer to ASTM A479.

Qualitá: 304/304L

Marca: AISL

Markenbezeichnung/Brand/Nuance Pag pr 0----

Punzonatura: 304/304L ennzeichnung/Marking/Marquage

<u> </u>	Oggetto Gegenstand Product description Descrip, du produit	Dimension	Tolleranza Tolleranz. Allowance Tolerance	Lunghezza - in Lange Langth Longueur	Colata Schmeize Heat Coulée	Pezzi Stückzahl Pieces Pieces	Peso - LB Gawicht Weight Poids	Lotto nr. Lasnr. Lot nr. Lot nr.
0080	Flat	0,5000 x 0,2500	484-09	147 / 149	424554		2.200	128601000
		Tool on delivery condition D.T. (	TEST ALLO ST	ATO DI FORNITURA		<del>'</del>		

		Test	on delive	ery condition Prū	IES efung auf lieferber	ST ALLO STA eitem produkt – t	lTO DI FC est a l'etat de	RNITURA fourniture I	A Prueba sobre	el material así o	come entrenad				
TEST	Provetta/Protestab Specimen/Eprouvette Larg dam Specs Brete Diam. Dicke Width Diam. Thickness Larg. diem. epals IMITI	۰F	Posiz. Saggio Protector Exclarated 1)		Snervamento Streckgrouze Yield Stress Limite elastique	Resistenza Zuglestykei Tereile stangth Resistance & Iraction Rm K.S.I.	Allung Brush Ext	amento detrung gasion general E 4d %	Str Ensk Reduce St	izione ; protrung ston et area stoten RA	Resilie Kerbachia Impact V Resiler	nza Prost	1	Ourezza Haene Hardness Ourate HB	1
Antonderu	ri richiesti 1 ngen Required values sura démandées	mi ma		30	-	75 115	-	40	-	50	-			140 223	
A	12X6,3	68	L	46		86		53		64		T	178		

TEST		min	max	
A	Grain size for ASTM E112			5

1)L=longitudinale/längs, T=trasversale/quer, Q=Tengenziale/tangential

### Analisi chimica

Chemische Zusammensetzung/Chemical Analysis/Analyse chimique

Schmelze/Coulée max 0,030 1,00	2,00 20	0,00 1,	,00		8,00 10,50	-	0,040	0.030	0,100	-	-	-	
C % Si % 424554 0,030 0,59	1	i i	Mo % 0,46	Cu % 0,60	Ni % 8,04	Co % 0,091	P % 0,028	S % 0,024	N % 0.095			<u> </u>	

Produced without class I-II Ozone depleting substances.

Solution heat treated free from continuous carbide network.

Annealing temperature: 1940°F for 0.5 h/water.

Micro and macro etch test: OK

Intergranular corrosion test per ASTM A262 pract. E: ok.

Material is DFARS Compliant

Sono state soddisfatte tutte le condizioni richieste Die gestellen Antovderungen sind it. Antage arkillt The material has been kirnished in accordance with the requirements Le materiel à eté trouvé conforme aux exégercas

Controllo antimescolanza: OK Verwechslungprüfung: spectralan Antimixing testing performed: OK Contrôle antimelange lat: r.a.s.

Controllo visivo e dimensionale: soddisfa le esigenze Besichtigung und Ausmessung: ohne Beanstandung Visual inspection and dimensional checks:satisfactory Contrôle visual et dimensions: satisfaisant

Vicenza,31/03/11 VCQ008 (Mod. MCER)

ll collaudatore di stabilimento / der Werkssachverständige//Works inspector / L'agent d'usine M.Rizzotly Kul

Pagina - 1 dí 2

# Acciaierie Valbruna s.p.A.





**CERTIFICATO DI COLLAUDO ABNAHMEPRUEFZEUGNIS INSPECTION CERTIFICATE** CERTIFICAT DE RECEPTION EN 10204 (2005), 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i. Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4 VALBRUNA CANADA LTD

8724 HOLGATE CRESCENT L5T 5Z1-MILTON, ONT L5T 5Z1-CA

Produttore: ACCIAIERIE VALBRUNA S.P.A.

Stato di fornitura: Descaled Annealed Hotrolled zustand/Delivery state/Erat de livraison

Avviso di Spedizione: D-VI11010941

Ordine nr: 101003060 Stock - Canada

Tipo di Elaborazione: E+AOD nelzungsart/Melting process/Mode of etaboration Certificato nr: MEST035048/2011/

Conferma ordine nr: El11000505 Werks/Our Order/Ref nr.

Marchio di Fabbrica: Zeichen des Liefernwerkes Trada mark Sigle de l' usine produtrice



Punzone del Collaudatore: Stempel des Werkssachverständigen Inspector's stamp/Poincon de l'assayou



Melted and manufactured in Italy No welding or weld repair Material free from Mercury contamination

We declare that the finished product is checked for radioactive contamination through Portal System when it leaves the production plant.

The Quality Management System is Certified acc. Pressure Equipment Directive [97/23/EC] Annex 1,s.,4.3 by TUEV and LLOYD'S

Any act of tampering, modification, alteration, counterfeiting and/or falsification and/or any other action which modifies the contents of this test certificate shall constitute a violation of applicable civil and criminal laws. Accialerie Valbruna shall protect its rights and interests before any competent court, authority and jurisdiction.

The supplied product conforms to requirements expressly requested by the purchaser and conforms to requirements specified by certified norms and standards. Should the product be used for more severe, critical and/ or in any case different applications than those the material is generally intended for, any different and/or supplementary requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Accidence Valbruna SpA shall not be responsible for any improper use of the

Heat Number	424554
IAC Number	4969.80
	12759
Mechanical ID	
Lot ID	
Test Report Date	
Comment _	
Supplier Name	Jalbura
TMS _	
Approved by: "	$Q(\cdot)$